

AD-A045 235

NAVAL RESEARCH LAB WASHINGTON D C
RECENT RESULTS ON CLEAVAGE, BIFURCATION AND CASCADE MECHANISMS --ETC(U)
AUG 77 S L OSSAKOW, S T ZALESK, N J ZABUSKY

F/G 20/9

UNCLASSIFIED


NRL-MR-3579

NL

1 OF 1
ADA
045235



END
DATE
FILMED
11-77
DDC



AD A045235

NRL Memorandum Report 3579




Recent Results on Cleavage, Bifurcation, and Cascade Mechanisms in Ionospheric Plasma Clouds

S. L. OSSAKOW, S. T. ZALESK and N. J. ZABUSKY

*Plasma Dynamics Branch
Plasma Physics Division*

August 1977



This research was supported by the Defense Nuclear Agency under Subtask Code S99QAXHCO41 "Physics of Magnetic Field Aligned Structure" Work Unit Code and Title 09, "Striation Research".



NAVAL RESEARCH LABORATORY
Washington, D.C.

Approved for public release; distribution unlimited.

AD No. _____
DDC FILE COPY

14 NRL-MR-3579

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

9 REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER NRL Memorandum Report 3579	2. GOVT ACCESSION NO.	3. RECIPIENT'S CATALOG NUMBER
4. TITLE (and Subtitle) RECENT RESULTS ON CLEAVAGE, BIFURCATION AND CASCADE MECHANISMS IN IONOSPHERIC PLASMA CLOUDS	5. TYPE OF REPORT & PERIOD COVERED Interim Report on a continuing NRL problem.	
6. PERFORMING ORG. REPORT NUMBER		8. CONTRACT OR GRANT NUMBER(s)
10. S. L. Ossakow, S. T. Zalesak, N. J. Zabuskyy		10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS NRL Problem H02-27B DNA Subtask S99QAXHCO41
11. CONTROLLING OFFICE NAME AND ADDRESS Defense Nuclear Agency Washington, D. C. 20305		12. REPORT DATE August 1977
14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office)		13. NUMBER OF PAGES 39 (12 21 p.)
16. DISTRIBUTION STATEMENT (of this Report) Approved for public release; distribution unlimited.		15. SECURITY CLASS. (of this report) UNCLASSIFIED
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)		15a. DECLASSIFICATION DOWNGRADING SCHEDULE
18. SUPPLEMENTARY NOTES This research was supported by the Defense Nuclear Agency under Subtask Code S99QAXHCO41 "Physics of Magnetic Field Aligned Structure" Work Unit Code and Title 09, "Striation Research". *Permanent address: Department of Mathematics, University of Pittsburgh, Pittsburgh, Pennsylvania 15213.		
19. KEY WORDS (Continue on reverse side if necessary and identify by block number) Plasma cloud striations Bifurcation Cleavage Cascade		
20. ABSTRACT (Continue on reverse side if necessary and identify by block number) Cleavage, bifurcation, and cascade mechanisms are investigated in the evolution of striating ionospheric plasma clouds which are subject to the gradient drift instability. The numerical simulations are based on a one-level, two-dimensional model. An initially one dimensional Gaussian-like cloud with a smooth perturbation cleaves and spontaneously develops nonlinear bifurcations of the original perturbation thus forming secondary perturbations (striations). This represents a cascade from longer to shorter wavelength structures. An initially presteepened two dimensional cloud without initial perturbation cleaves and bifurcates to form a protuberance (Continues) → next page		

DD FORM 1 JAN 73 1473

EDITION OF 1 NOV 65 IS OBSOLETE
S/N 0102-014-6601

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

251950

Free

20. Abstracts (Continued)

→ in the cleavage trough. These results demonstrate that cleavage is an inherent process in the evolution of striated ionospheric plasma clouds and plays an important role in the characterization of the late-time nuclear striation power spectrum.

Accession

DATE

DDP

IPR

AS

BY

EXEMPT FROM SECURITY CODES

SPECIAL

PA

RECENT RESULTS ON CLEAVAGE, BIFURCATION AND CASCADE MECHANISMS IN IONOSPHERIC PLASMA CLOUDS

One of the most important problems in the late time striated nuclear environment is the characterization of the power spectrum and the decay of the structure. The ability to predict the late time striated environment is extremely important for satellite communication systems. Our understanding of the late-time striated environment has increased significantly, but there still remains some problems to be answered.

Previously we have reported (Scannapieco et al., 1976) on the late-time power spectra for striations resulting from following the nonlinear evolution of a plasma cloud coupled to the background ionosphere. There we had performed a two-level (one for the cloud, the other for the background ionosphere), two-dimensional numerical simulation of an initially one-dimensional cloud (Gaussian in one direction, uniform in the other) with random initial perturbations. The nonlinear phase of the plasma cloud development was characterized by pinching of original perturbations, production of secondary perturbations, a bubbling through of backside striations to the front side of the cloud, and appearance of image striations in the background ionosphere. Also, a power law power spectrum for the striation density fluctuations was obtained. Recently another two-level, two dimensional numerical simulation of an initially cylindrical Gaussian cloud with recombination chemistry included in the background ionosphere and an initial single long wavelength perturbation has been reported (Doles et al., 1976). In this simulation the power spectrum was not presented. However, an important result was the

Note: Manuscript submitted July 27, 1977.

fact that secondary perturbations spontaneously grew out of the initial perturbation and this process continued to occur during the nonlinear evolution of the plasma cloud as it did in Scannapieco et al. (1976).

Some of the basic objectives of our studies are to look at the late-time power spectra at short wavelengths (in particular to account for the power law power spectra at short wavelengths) and how striations go away. Fundamental to this problem are the bifurcation, cleavage, and cascade mechanisms that produce secondary striations from primary striations (as noted in Scannapieco et al., 1976 and Doles et al., 1976). This type of study is important because the time scale for the production of secondary striations can be much more rapid than the diffusion time scales, especially for long wavelengths. Consequently, the late-time decay of striations will be very much influenced by this process. Indeed, a major contribution would be to obtain a model which describes the time it takes for striations to bifurcate and form more striations.

Figure 1 depicts schematically what it is we are trying to follow and understand. Essentially one has a steepened backside of the plasma cloud (a) which then cleaves and bifurcates (b) and keeps doing so (c and d) forming smaller and smaller wavelength structures. This in itself represents a cascade from long wavelength structures to shorter wavelength structures.

In order to better understand this phenomena we utilize a one level (plasma cloud and background ionosphere at its level, where the background ionospheric conductivity is taken to be time independent),

two dimensional (perpendicular to the ambient magnetic field) model, incorporating the simplest set of equations that describe the striation phenomena. These equations are (Zabusky et al., 1973)

$$\frac{\partial \Sigma_p^b}{\partial t} - \nabla_{\perp} \Sigma_p^b \cdot \left(\frac{c}{B_0} \nabla_{\perp} \psi \times \hat{z} \right) = 0 \quad (1)$$

$$\nabla_{\perp} \cdot (\Sigma_p^b \nabla_{\perp} \psi) = \underline{E}_0 \cdot \nabla_{\perp} \Sigma_p^b \quad (2)$$

where Σ_p^b is the magnetic field line integrated Pedersen conductivity at the cloud level, B_0 is the ambient magnetic field, $\hat{z} = \underline{B}_0 / |\underline{B}_0|$, $\nabla_{\perp} \psi = \underline{E} - \underline{E}_0$, where \underline{E}_0 is the ambient applied perpendicular electric field, and the subscript \perp means perpendicular to \underline{B}_0 . Equation (1) is written in the $\underline{E}_0 \times \underline{B}_0$ drift frame. Also equations (1) and (2) are representative of a one level, two dimensional F region model with $\nu_b / \omega_{cb} \ll 1$ (where ν_b and ω_{cb} are the barium ion-neutral collision frequency and barium ion gyrofrequency, respectively), i.e., no Hall currents and the plasma is essentially incompressible and can be obtained from the more general equations (see for example Scannapieco et al., 1976) taking this limit and neglecting other levels.

In what follows we will show results for different initial plasma cloud configurations. In our previous study (Scannapieco et al., 1976), random initial perturbations made it difficult to follow the cleavage and bifurcation processes in detail. Consequently, when necessary, we will use single wavelength type of perturbations.

Initial 1D cloud with perturbation. The system of equations (1) and (2) was solved numerically on the Texas Instruments Advanced Scientific Computer. A two dimensional rectangular 40 x 100 grid with mesh $\Delta x = \Delta y = 1/3$ km (corresponding to approximately 13 km x 33 km in size) was chosen. In this particular simulation a Gaussian-like cloud in the y direction, uniform in x is used at $t = 0$ [similar to that found in Scannapieco et al., 1976 and the same as Zabusky et al., 1973] with a single localized perturbation of the order of two wavelengths superimposed. The Pedersen conductivity, at $t = 0$, was taken as

$$\frac{\Sigma_p^b(x,y)}{\Sigma_p^{bo}} = 32.2 \left(1 - \frac{y^2}{L^2}\right)^4 [1 + \beta(x)e^{-3}] + 2.6 \quad (3)$$

with

$$\beta(x) = \begin{cases} \cos 3\pi x/8 & , \quad |x| < 8/3 \text{ km} \\ 0.5 [\cos (3\pi x/8) - 1.0] & , \quad 8/3 < |x| < 16/3 \text{ km} \\ 0 & , \quad |x| > 16/3 \text{ km} \end{cases} \quad (4)$$

In Eq. (3) $L = 8$ km and the quantity 2.6 represents the background ionosphere Pedersen conductivity so that the cloud to background ionosphere Pedersen conductivity ratio is 12.4. We take $E_0 = 2$ mV/m and in the positive x direction, $B_0 = 0.5$ gauss and in the positive z direction (out of the page of Fig. 2) so that the $\underline{E}_0 \times \underline{B}_0$ drift velocity is 40 m/sec and in the negative y direction. Consequently, the dynamical time scale $t_D = LB_0/cE_0 = 200$ sec. for this simulation.

Figure 2 depicts the iso-Pedersen conductivity contours at $t = 200$ sec after the plasma cloud has evolved according to Eqs. (1) and (2). Here we can see the type of perturbation that was put into the system at $t = 0$ (representing a primary striation or perturbation). We also note the backside growth of the perturbation. In this figure the conductivity contours are maximum at $y = 0$ and decrease as $|y|$ increases. The Gaussian like initial cloud Pedersen conductivity is confined to $|y| \leq 8\text{km}$ and beyond this one has the uniform background ionosphere Pedersen conductivity. Figure 3 depicts the plasma cloud evolution at $t = 300$ sec. Clearly there is a main protuberance developing around $x = 0$ and the cleavage process has begun on either side of this. The trough and peak regions have flattened and become steep. In the cleavage region the radius of curvature tends to become infinite and in this region the divergence of the plasma flow is zero.

Figure 4 shows how the cloud has evolved at 400 sec. Clearly there is an upwelling within the trough regions which is beginning to produce secondary striations. Also perturbations are starting to form on the flanks ($4 < |x| < 6$). What we are viewing are spontaneous bifurcations of smooth striations in an evolving plasma cloud. This is a nonlinear process and is what goes on after linear theory. Clearly this is also a cascade from longer wavelength structures into shorter wavelengths. Note that the island formation depicted in Figs. 3 and 4 is due to truncation, artificial diffusion and resolution as the contours should have developed long thin necks and not broken off. In order to carry the simulation further in time this will have to be corrected.

However, the basic cleavage, bifurcation and cascade processes have been well exhibited.

Initial 2D presteeptened cloud without perturbations. Once again Eqs. (1) and (2) were solved on a two dimensional mesh. However, in this case, we have employed a stretched mesh where the central 62×62 mesh (depicted in Figs. 5-8) is uniform, with $\Delta x = \Delta y = 8/62$ km (corresponding to $8\text{km} \times 8\text{km}$). Outside (not shown) an additional 11 points on each side cover an additional 7km on a side. Consequently, the total mesh is 84×84 covering $22\text{km} \times 22\text{km}$. The initial $t = 0$ plasma cloud is presteeptened (hamburger shape; see Fig. 5) and no perturbations are added. The two dimensional presteeptened cloud depicted in Fig. 5 is almost one dimensional in the x direction except for the roundedness for certain y values. Indeed, for most of the cloud except for $y > y_1$, $y < y_2$, $\Sigma_p^b / \Sigma_p^{bo} = 1 + 4 [1 - (x-x_0)^2/L^2]^4$ where x_0 defines the x center of the cloud and $L = 2\text{km}$. Here the peak Pedersen conductivity is 5.0 and the background ionosphere is 1.0 (the iso-Pedersen conductivity contours depicted range from 2 to 4.5 in increments of 0.5). In this simulation $E_0 = 5$ mV/m and is in the negative y direction, $B_0 = .5$ gauss and is out of the page, so that the $\underline{E}_0 \times \underline{B}_0$ drift velocity is in the negative x direction. With these parameters the dynamical time scale $t_D = LB_0/cE_0 = 20$ sec.

The initial cloud depicted in Fig. 5 (with no initial perturbations imposed) evolves in accordance with Eqs. (1) and (2) and Fig. 6 shows its development at $t = 50$ sec. Here we begin to see the start of the cleavage process on the backside of the plasma cloud (cloud appears to have a lima beam shape). Figure 7 shows the evolution of the cloud at

$t = 100$ sec. The cleavage in the central region on the backside and the attendant bifurcation to form two fingers are now quite clear. These are the first numerical simulations of a plasma cloud spontaneously bifurcating without external perturbations imposed. We note the steepening of the contours in the two protuberances and in the cleavage trough. The trough area has become very flat such that the radius of curvature tends to become infinite. The bifurcation has to do with the initial one-dimensional nature and rounded edges of the plasma cloud which causes plasma flow around the cloud, since a purely one-dimensional cloud without perturbations is an equilibrium solution of the basic equations (1) and (2).

Figure 8 shows the cloud at $t = 120$ sec. The central trough region now begins to develop a protuberance (just what we now expect). The highest conductivity contour has fissioned due to truncation, artificial diffusion and resolution (this contour should have developed long thin necks). We have to refine the simulation so that we can go farther in time. However, the process presented here represents basic mechanisms which lead from long wavelengths to short wavelengths (cascade mechanism). Studies of these types are extremely important if we are going to be able to characterize the late time striated nuclear environment.

Summary. We have studied a one level, two dimensional plasma cloud (see Eqs. (1) and (2)) to investigate bifurcation, cleavage and cascade mechanisms which occur in the striated environment resulting from the gradient drift instability. These studies have been conducted using numerical simulations for different initial plasma cloud configurations.

In particular, one study was done with an initially one dimensional Gaussian like plasma cloud with initial perturbations (Fig. 2) which was then followed over the two dimensional mesh. Another study was performed with an initially presteeptened two dimensional plasma with no initial perturbations (Fig. 5). The results from these numerical simulations and previous ones (Scannapieco et al., 1976; Doles et al., 1976) and our current understanding of cleavage, bifurcation, and cascade processes in plasma clouds can be summarized as follows:

(1) our two level, initially one dimensional plasma cloud with random initial perturbations produced pinching of the original perturbations, production of secondary perturbations and a power law power spectrum for striations at late times (Scannapieco et al., 1976); (2) the Bell Labs (Doles et al., 1976) two level, two dimensional Gaussian-like cloud with an initial long wavelength perturbation and recombination chemistry of the second level produced cleavage and secondary perturbations (bifurcation), but the study did not delineate whether these processes were a result of the recombination chemistry, the second level, or the radius of curvature becoming large; (3) in the present study we have shown that a one level, initially one dimensional plasma cloud with an initial long wavelength perturbation spontaneously produces secondary perturbations within cleavage troughs and forms because the radius of curvature becomes infinite within those troughs; (4) our present study also shows that a one level, initially two dimensional presteeptened plasma cloud (with the radius of curvature becoming infinite in one direction and having rounded edges in the other direction) without initial perturbations cleaves and

bifurcates and so the second level and recombination chemistry are not necessary; (5) cleavage is an inherent process of plasma cloud evolution; (6) this process has nothing to do with linear theory, it is what goes on after linear theory is applicable; and (7) linear theory and diffusion processes can give a misestimate of the decay of striations, especially since cleavage and bifurcation are much faster processes than diffusion for the longer ($\sim 1\text{km}$) striated structures. This paper should be viewed as a progress report in that we still need to investigate how much curvature is actually needed to produce cleavage and bifurcation and also we need to understand more fully the time scale for the bifurcation process.

Acknowledgment

This work was supported by the Defense Nuclear Agency. We also wish to thank A. J. Scannapieco for useful discussions at the inception of this work.

References

- Doles III, J. H., N. J. Zabusky, and F. W. Perkins, "Deformation and Striation of Plasma Clouds in the Ionosphere 3. Numerical Simulation of a Multilevel Model with Recombination Chemistry," J. Geophys. Res., 81, 5987, 1976.
- Scannapieco, A. J., S. L. Ossakow, S. R. Goldman, and J. M. Pierre, "Late-Time Striation Spectra," NRL Memo Report 3251, March 1976; also J. Geophys. Res., 81, 6037, 1976.
- Zabusky, N. J., J. H. Doles III, and F. W. Perkins, "Deformation and Striation of Plasma Clouds in the Ionosphere 2. Numerical Simulation of a Nonlinear Two-Dimensional Model," J. Geophys. Res., 78, 711, 1973.




Fig. 1 — Schematic diagram depicting cleavage, bifurcation and cascade processes on the steepened backside of a plasma cloud




Fig. 2 — Iso-Pedersen conductivity contour plots at $t = 200$ sec. of an initially one dimensional Gaussian-like (in y) plasma cloud with an initial perturbation in x . The highest contour (maximum conductivity) is around $y = 0$ and the values decrease away from this line in both positive and negative directions. The mesh is 40×100 with $\Delta x = \Delta y = 1/3$ km which corresponds to approximately $13km \times 33km$. There is an ambient electric field of 2 mV/m in the positive x direction and an ambient magnetic field of 0.5 gauss out of the page. The gradient scale length for the initial iso-Pedersen conductivity contours in the y direction is 8 km.




Fig. 3 — Iso-Pedersen conductivity contour plots at $t = 300$ sec. Note protuberance in center and cleavage troughs on each side.




Fig. 4 — Iso-Pedersen conductivity contour plots at $t = 400$ sec. Note the production of secondary striations in the trough regions between the original striations and the dimpling of the original striations.




Fig. 5 — Iso-Pedersen conductivity contour plots of a plasma cloud at $t = 0$ (note time in upper right). These contours are ratios and represent the cloud value to that of the background ionosphere far away from the cloud. The innermost contour is 4.5 and the outermost is 2 (in increments of 0.5). The peak in the center of the cloud is 5 and the background unchanging ionosphere far away from the cloud is 1. The mesh portion shown is $8 \text{ km} \times 8 \text{ km}$ (62×62 mesh points) with uniform spacing; however, outside there are 11 mesh (not shown) points on each side stretched covering an additional 7 km. Consequently, the total mesh is $22 \text{ km} \times 22 \text{ km}$ (84×84 mesh points). There is an ambient electric field of 5 mV/m in the negative y direction (equivalent to an ambient neutral wind in the positive x direction); the magnetic field is 0.5 gauss and out of the paper; and the gradient scale length for the iso-Pedersen conductivity contours is 2 km in the x direction. The $\underline{E}_0 \times \underline{B}$ velocity is in the negative x direction.




Fig. 6 — Iso-Pedersen conductivity contour plots at $t = 50$ sec. Note backside steepening and indentation.




Fig. 7 — Iso-Pedersen conductivity contour plots at $t = 100$ sec. Note cleavage and bifurcation.




Fig. 8 — Iso-Pedersen conductivity contour plots at $t = 120$ sec. Note formation of protuberance in central trough region.

DISTRIBUTION LIST

DIRECTOR
COMMAND CONTROL TECHNICAL CENTER
PENTAGON RM BE 685
WASHINGTON, D.C. 20301
01CY ATTN C-650 G. C. JONES
01CY ATTN C-650 W. HEIDIG
01CY ATTN C-312 R. MASON

DIRECTOR
DEFENSE ADVANCED RSCH PROJ AGENCY
ARCHITECT BUILDING
1400 WILSON BLVD.
ARLINGTON, VA. 22209
01CY ATTN NUCLEAR MONITORING RESEARCH
01CY ATTN STRATEGIC TECH OFFICE

DEFENSE COMMUNICATION ENGINEER CENTER
1860 WIEHLE AVENUE
RESTON, VA. 22090
01CY ATTN CODE R820 R. L. CRAWFORD
01CY ATTN CODE R410 JAMES W. MCLEAN

DIRECTOR
DEFENSE COMMUNICATIONS AGENCY
WASHINGTON, D.C. 20305
(ADR CNWDI: ATTN CODE 240 FOR)
01CY ATTN CODE 480
01CY ATTN CODE 810 R. W. ROSTRON
01CY ATTN CODE 1018 MAJ R. ROOD
01CY ATTN MAUREY RAFFENSPERGER

DEFENSE DOCUMENTATION CENTER
CAMERON STATION
ALEXANDRIA, VA. 22314
(12 COPIES IF OPEN PUBLICATION, OTHERWISE 2 COPIES)
12CY ATTN TC

DIRECTOR
DEFENSE INTELLIGENCE AGENCY
WASHINGTON, D.C. 20301
01CY ATTN DT-18
01CY ATTN W. WITTIG DC-7D

DIRECTOR
DEFENSE NUCLEAR AGENCY
WASHINGTON, D.C. 20305
01CY ATTN STSI ARCHIVES
01CY ATTN STVL
03CY ATTN STTL TECH LIBRARY
01CY ATTN DDST
03CY ATTN RAAE

DIR OF DEFENSE RSCH & ENGINEERING
DEPARTMENT OF DEFENSE
WASHINGTON, D.C. 20301
01CY ATTN S&SS (OS)

COMMANDER
FIELD COMMAND
DEFENSE NUCLEAR AGENCY
KIRTLAND AFB, NM 87115
01CY ATTN FCPR

DIRECTOR
INTERSERVICE NUCLEAR WEAPONS SCHOOL
KIRTLAND AFB, NM 87115
01CY ATTN DOCUMENT CONTROL

DIRECTOR
JOINT STRAT TGT PLANNING STAFF JCS
OFFUTT AFB
OMAHA, NB 68113
01CY ATTN JLTW-2
01CY ATTN JPST CAPT G. D. GOETZ

CHIEF
LIVERMORE DIVISION FLD COMMAND DNA
LAWRENCE LIVERMORE LABORATORY
P. O. BOX 808
LIVERMORE, CA 94550
01CY ATTN FCPRL

DIRECTOR
NATIONAL SECURITY AGENCY
FT. GEORGE G. MEADE, MD 20755
01CY ATTN JOHN SKILLMAN R52
01CY ATTN FRANK LEONARD
01CY ATTN W14 PAT CLARK

OJCS/J-3
THE PENTAGON
WASHINGTON, D.C. 20301
(OPERATIONS)
01CY ATTN WWMCCS EVAL OFC MR. TOMA

ASD (C31) (SYSTEMS)
3D224, THE PENTAGON
WASHINGTON, D.C. 20301
01CY ATTN DR. M. EPSTEIN
01CY DR. J. BABCOCK

WWMCCS SYSTEM ENGINEERING ORG
WASHINGTON, D.C. 20305
01CY ATTN R. L. CRAWFORD

COMMANDER/DIRECTOR
ATMOSPHERIC SCIENCES LABORATORY
U.S. ARMY ELECTRONICS COMMAND
WHITE SANDS MISSILE RANGE, NM 88002
01CY ATTN DRSEL-BL-SY-S F. E. NILES

DIRECTOR
BMD ADVANCED TECH CTR
HUNTSVILLE OFFICE
P. O. BOX 1500
HUNTSVILLE, AL 35807
01CY ATTN ATC-T MELVIN T. CAPPS
01CY ATTN ATC-O W. DAVIES
01CY ATTN ATC-R DON RUSS

PROGRAM MANAGER
BMD PROGRAM OFFICE
5001 EISENHOWER AVENUE
ALEXANDRIA, VA 22333
01CY ATTN DACS-BMT JOHN SHEA

CHIEF C-E SERVICES DIVISION
U.S. ARMY COMMUNICATIONS CMD
PENTAGON RM 1B259
WASHINGTON, D.C. 20310
01CY ATTN CC-OPS-CE

COMMANDER
HARRY DIAMOND LABORATORIES
2800 POWDER MILL ROAD
ADELPHI, MD 20783

(CNWDI-INNER ENVELOPE: ATTN: DRXDO-RBH)
01CY ATTN MILDRED H. WEINER DRXDO-TI
01CY ATTN DRXDO-RB ROBERT WILLIAMS
01CY ATTN DRXDO-NP FRANCIS N. WIMENITZ
01CY ATTN DRXDO-NP CYRUS MOAZED

DIRECTOR
TRASANA
WHITE SANDS MISSILE RANGE, NM 88002
01CY ATTN ATAA-SA
01CY ATTN TCC/F. PAYAN JR
01CY ATTN ATAA-TAC LTC JOHN HESSE

COMMANDER
U.S. ARMY COMM-ELEC ENGRG INSTAL AGY
FT. HUACHUCA, AZ 85613

01CY ATTN EED-PED GEORGE LANE

COMMANDER
U.S. ARMY ELECTRONICS COMMAND
FORT MONMOUTH, NJ 07703
01CY ATTN DRSEL-NL-RD H. S. BENNET
01CY ATTN DRSEL-PL-ENV HANS A. BOMKE

COMMANDER
U.S. ARMY FOREIGN SCIENCE & TECH CTR
220 7TH STREET, NE
CHARLOTTESVILLE, VA 22901
01CY ATTN P. A. CROWLEY
01CY ATTN R. JONES

COMMANDER
U.S. ARMY MATERIEL DEV & READINESS CMD
5001 EISENHOWER AVENUE
ALEXANDRIA, VA 22333
01CY ATTN DRCLDC J. A. BENDER

COMMANDER
U.S. ARMY NUCLEAR AGENCY
FORT BLISS, TX 79916
01CY ATTN MONA-WE J. BERBERET

DIRECTOR
U.S. ARMY BALLISTIC RESEARCH LABS
ABERDEEN PROVING GROUND, MD 21005
01CY ATTN LAWRENCE J. PUCKETT

COMMANDER
U.S. ARMY SATCOM AGENCY
FT. MONMOUTH, NJ 07703
01CY ATTN DOCUMENT CONTROL

COMMANDER
U.S. ARMY MISSILE INTELLIGENCE AGENCY
REDSTONE ARSENAL, AL 35809
01CY ATTN JIM GAMBLE

CHIEF OF NAVAL OPERATIONS
NAVY DEPARTMENT
WASHINGTON, D.C. 20350
01CY ATTN OP 943 LCDR HUFF
01CY ATTN ALEXANDER BRANDT
01CY ATTN RONALD E. PITKIN

CHIEF OF NAVAL RESEARCH
NAVY DEPARTMENT
ARLINGTON, VA 22217
01CY ATTN CODE 418
01CY ATTN CODE 461

COMMANDER
NAVAL ELECTRONIC SYSTEMS COMMAND
NAVAL ELECTRONIC SYSTEMS CMD HQS
WASHINGTON, D.C. 20360
01CY ATTN NVALEX 034 T BARRY HUGHES
01CY ATTN PME 117-T SATELLITE COMM PROJECT OFF
01CY ATTN PME 117

COMMANDING OFFICER
NAVAL INTELLIGENCE SUPPORT CTR
4301 SUITLAND ROAD, BLDG. 5
WASHINGTON, D.C. 20390
01CY ATTN MR. DUBBIN STIC 12

COMMANDER
NAVAL OCEAN SYSTEMS CENTER
SAN DIEGO, CA 92152
01CY ATTN WILLIAM F. MOLER
01CY ATTN CODE 0230 C. BAGGETT
03CY ATTN CODE 2200
01CY ATTN R. EASTMAN

DIRECTOR
NAVAL RESEARCH LABORATORY
WASHINGTON, D.C. 20375
01CY ATTN CODE 7700 TIMOTHY P. COFFEY
03CY ATTN CODE 7701 JACK D. BROWN
01CY ATTN CODE 7750
01CY ATTN CODE 5400 BRUCE WALD
03CY ATTN CODE 5450 TELECOMMUNICATIONS SYSTEMS TECH.

COMMANDER
NAVAL SPACE SURVEILLANCE SYSTEM
DAHLGREN, VA 22448
01CY ATTN CAPT J. H. BURTON

COMMANDER
NAVAL SURFACE WEAPONS CENTER
WHITE OAK, SILVER SPRING, MD 20910
01CY ATTN CODE WA501 NAVY NUC PRGMS OFF

DIRECTOR
STRATEGIC SYSTEMS PROJECT OFFICE
NAVY DEPARTMENT
WASHINGTON, D.C. 20375
01CY ATTN NSP-2141
01CY ATTN NSSP-2722 FRED WIMBERLY

NAVAL SPACE SYSTEM ACTIVITY
P. O. BOX 92960
WORLDWAY POSTAL CENTER
LOS ANGELES, CALIF. 90009
01CY ATTN A. B. HAZZARD

COMMANDER
ADC/DC
ENT AFB, CO 80912
01CY ATTN DC MR. LONG

COMMANDER
ADCOM/XPD
ENT AFB, CO 80912
01CY ATTN XPQDQ

AF GEOPHYSICS LABORATORY, AFSC
HANSCOM AFB, MA 01731
01CY ATTN OPR HAROLD GARDNER
01CY ATTN OPR JAMES C. ULWICK
01CY ATTN LKB KENNETH S. W. CHAMPION
01CY ATTN OPR ALVA T. STAIR
01CY ATTN SUOL RSCH LIB
01CY ATTN PHP JULES AARONS
01CY ATTN PHD JURGEN BUCHAU
01CY ATTN PHD JOHN P. MULLEN

AF WEAPONS LABORATORY, AFSC
KIRTLAND AFB, NM 87117
01CY ATTN SUL
01CY ATTN CA ARTHUR H. GUENTHER
01CY ATTN DYC CAPT L. WITTWER
01CY ATTN SAS JOHN M. KAMM
01CY ATTN DYC CAPT MARK A. FRY

AFTAC
PATRICK AFB, FL 32925
01CY ATTN TF/MAJ WILEY
01CY ATTN TN

AIR FORCE AVIONICS LABORATORY, AFSC
WRIGHT-PATTERSON AFB, OH 45433
01CY ATTN AAD WADE HUNT
01CY ATTN AFAL AAB H. M. HARTMAN
01CY ATTN AAD ALLEN JOHNSON

HEADQUARTERS
ELECTRONIC SYSTEMS DIVISION/XR
HANSCOM AFB, MA 01731
01CY ATTN XRC LTC J. MORIN
01CY ATTN XRE LT MICHAELS

HEADQUARTERS
ELECTRONIC SYSTEMS DIVISION/YS
HANSCOM AFB, MA 01731
01CY ATTN YSEV

COMMANDER
FOREIGN TECHNOLOGY DIVISION, AFSC
WRIGHT-PATTERSON AFB, OH 45433
01CY ATTN NICD LIBRARY
01CY ATTN ETD B. L. BALLARD

HQ USAF/RD
WASHINGTON, D.C. 20330
01CY ATTN RDQ

COMMANDER
ROME AIR DEVELOPMENT CENTER, AFSC
GRIFFISS AFB, NY 13440
01CY ATTN EMTLD DOC LIBRARY
01CY ATTN OCSE V. COYNE

SAMSO/SZ
POST OFFICE BOX 92960
WORLDWAY POSTAL CENTER
LOS ANGELES, CA 90009
(SPACE DEFENSE SYSTEMS)
01CY ATTN SZJ MAJOR LAWRENCE DOAN

COMMANDER IN CHIEF
STRATEGIC AIR COMMAND
OFFUTT AFB, NB 68113
01CY ATTN XPFS MAJ BRIAN G. STEPHAN
01CY ATTN ADWATE CAPT BRUCE BAUER
01CY ATTN NRT

HEADQUARTERS
ELECTRONIC SYSTEMS DIVISION (AFSC)
HANSCOM AFB, MA 01731
01CY ATTN JIM DEAS

SAMSO/YA
P. O. BOX 92960
WORLDWAY POSTAL CENTER
LOS ANGELES, CA 90009
01CY ATTN YAT CAPT L. BLACKWELDER

SAMSO/SK
P. O. BOX 92960
WORLDWAY POSTAL CENTER
LOS ANGELES, CA 90009
01CY ATTN SKA LT MARIA A. CLAVIN

SAMSO/MN
NORTON AFB, CA 92419
(MINUTEMAN)
01CY ATTN MNNL LTC KENNEDY

COMMANDER
ROME AIR DEVELOPMENT CENTER, AFSC
HANSCOM AFB, MA 01733
01CY ATTN ETEI A. LORENTZEN

U.S. ENERGY RSCH AND DEV ADMIN

EG&G, INC.
LOS ALAMOS DIVISION
P. O. BOX 809
LOS ALAMOS, NM 85544
01CY ATTN JAMES R. BREEDLOVE

UNIVERSITY OF CALIFORNIA
LAWRENCE LIVERMORE LABORATORY
P. O. BOX 808
LIVERMORE, CA 94550
01CY ATTN TECH INFO DEPT L-3
01CY ATTN RONALD L. OTT L-531
01CY ATTN DONALD R. DUNN L-156
01CY ATTN RASPH S. HAGER L-31

LOS ALAMOS SCIENTIFIC LABORATORY
P. O. BOX 1663
LOS ALAMOS, NM 87545
01CY ATTN DOC CON FOR ERIC LINDMAN
01CY ATTN DOC CON FOR R. F. TASCHKE
01CY ATTN DOC CON FOR ERIC JONES
01CY ATTN DOC CON FOR JOHN S. MALIK
01CY ATTN DOC CON FOR MARTIN TIERNEY J-10
01CY ATTN DOC CON FOR JOHN ZINN

SANDIA LABORATORIES
P. O. BOX 5800
ALBUQUERQUE, NM 87115
01CY ATTN DOC CON FOR J. P. MARTIN ORG 1732
01CY ATTN DOC CON FOR W. D. BROWN ORG 1353
01CY ATTN DOC CON FOR A. DEAN THORNBROUGH ORG 1245
01CY ATTN DOC CON FOR T. WRIGHT
01CY ATTN DOC CON FOR D. A. DAHLGREN ORG 1722

OTHER GOVERNMENT

DEPARTMENT OF COMMERCE
OFFICE OF TELECOMMUNICATIONS
INSTITUTE FOR TELECOM SCIENCE
BOULDER, CO 80302
01CY ATTN WILLIAM F. UTLAUT
01CY ATTN G. REED

NATIONAL OCEANIC & ATMOSPHERIC ADMIN
ENVIRONMENTAL RESEARCH LABORATORIES
DEPARTMENT OF COMMERCE
BOULDER, CO 80302
01CY ATTN JOSEPH H. POPE
01CY ATTN RICHARD GRUBB
01CY ATTN C. L. RUFFNACH

NASA
GODDARD SPACE FLIGHT CENTER
GREENBELT, MD 20771
01CY ATTN ATS-6 OFC P. CORRIGAN

DEPARTMENT OF DEFENSE CONTRACTORS

AEROSPACE CORPORATION

P. O. BOX 92957

LOS ANGELES, CA 90009

01CY ATTN IRVING M. GARFUNKEL

01CY ATTN T. M. SALMI

01CY ATTN V. JOSEPHSON

01CY ATTN S. P. BOWER

01CY ATTN N. D. STOCKWELL

01CY ATTN P. P. OLSEN 120 RM 2224E

01CY ATTN F. E. BOND RM 5003

01CY ATTN J. E. CARTER 120 RM 2209

01CY ATTN F. A. MORSE A6 RM 2407

ANALYTICAL SYSTEMS ENGINEERING CORP

5 OLD CONCORD ROAD

BURLINGTON, MA 01803

01CY ATTN RADIO SCIENCES

BOEING COMPANY, THE

P. O. BOX 3707

SEATTLE, WA 98124

01CY ATTN GLEN KEISTER

01CY ATTN D. MURRAY

CALIFORNIA AT SAN DIEGO, UNIV OF

3175 MIRAMAR ROAD

LA JOLLA, CA 92037

01CY ATTN HENRY G. BOOKER

BROWN ENGINEERING COMPANY, INC.

CUMMINGS RESEARCH PARK

HUNTSVILLE, AL 35807

01CY ATTN ROMEO A. DELIBERIS

CHARLES STARK DRAPER LABORATORY, INC.

555 TECHNOLOGY SQUARE

CAMBRIDGE, MA 02139

01CY ATTN D. B. COX

01CY ATTN J. P. GILMORE MS 63

COMPUTER SCIENCES CORPORATION
P. O. BOX 530
6565 ARLINGTON BLVD
FALLS CHURCH, VA 22046
01CY ATTN H. BLANK
01CY ATTN JOHN SPOOR

COMSAT LABORATORIES
LINTHICUM ROAD
CLARKSBURG, MD 20734
01CY ATTN R. R. TAUR

CORNELL UNIVERSITY
DEPARTMENT OF ELECTRICAL ENGINEERING
ITHACA, NY 14850
01CY ATTN D. T. FARLEY JR

FSL INC.
495 JAVA DRIVE
SUNNYVALE, CA 94086
01CY ATTN R. K. STEVENS
01CY ATTN J. ROBERTS
01CY ATTN JAMES MARSHALL
01CY ATTN V. L. MOWER
01CY ATTN C. W. PRETTIE

FORD AEROSPACE & COMMUNICATIONS CORP
3939 FABIAN WAY
PALO ALTO, CA 94303
01CY ATTN J. T. MATTINGLEY MS X22

GENERAL ELECTRIC COMPANY
SPACE DIVISION
VALLEY FORGE SPACE CENTER
GODDARD BLVD KING OF PRUSSIA
P. O. BOX 8555
PHILADELPHIA, PA 19101
01CY ATTN M. H. BORTNER SPACE SCI LAB

GENERAL ELECTRIC COMPANY
TEMPO-CENTER FOR ADVANCED STUDIES
815 STATE STREET (P.O. DRAWER QQ)
SANTA BARBARA, CA 93102

01CY ATTN DASIAC
01CY ATTN DON CHANDLER
01CY ATTN TOM BARRETT
01CY ATTN TIM STEPHENS
01CY ATTN WARREN S. KNAPP
01CY ATTN WILLIAM MCNAMERA
01CY ATTN B. GAMBILL
01CY ATTN MACK STANTON

GENERAL RESEARCH CORPORATION
P. O. BOX 3587
SANTA BARBARA, CA 93105
01CY ATTN JOHN ISE JR
01CY ATTN JOEL GARBARINO

GEOPHYSICAL INSTITUTE
UNIVERSITY OF ALASKA
FAIRBANKS, AK 99701
(ALL CLASS ATTN: SECURITY OFFICER)
01CY ATTN T. N. DAVIS (UNCL ONLY)
01CY ATTN NEAL BROWN (UNCL ONLY)
01CY ATTN TECHNICAL LIBRARY

GTE SYLVANIA, INC.
ELECTRONICS SYSTEMS GRP-EASTERN DIV
77 A STREET
NEEDHAM, MA 02194
01CY ATTN MARSHAL CROSS

INSTITUTE FOR DEFENSE ANALYSES
400 ARMY-NAVY DRIVE
ARLINGTON, VA 22202
01CY ATTN J. M. AEIN
01CY ATTN ERNEST BAUER
01CY ATTN HANS WOLFHARD
01CY ATTN JOEL BENGSTEN

HARRIS CORP, E.S.D.
P. O. BOX 37
MELBOURNE, FL 32901
01CY ATTN ADV PROG DEPT DR. CARL DAVIS

HSS, INC.
2 ALFRED CIRCLE
BEDFORD, MA 01730
01CY ATTN DONALD HANSEN

INTL TEL & TELEGRAPH CORPORATION
500 WASHINGTON AVENUE
NUTLEY, NJ 07110
01CY ATTN TECHNICAL LIBRARY

JAYCOR
1401 CAMINO DEL MAR
DEL MAR, CA 92014
01CY ATTN S. R. GOLDMAN

JOHNS HOPKINS UNIVERSITY
APPLIED PHYSICS LABORATORY
JOHNS HOPKINS ROAD
LAUREL, MD 20810
01CY ATTN DOCUMENT LIBRARIAN
01CY ATTN THOMAS POTEMRA
01CY ATTN JOHN DASSOULAS

LOCKHEED MISSILES & SPACE CO INC
P. O. BOX 504
SUNNYVALE, CA 94088
01CY ATTN DEPT 60-12
01CY ATTN D. R. CHURCHILL

LOCKHEED MISSILES AND SPACE CO INC
3251 HANOVER STREET
PALO ALTO, CA 94304
01CY ATTN MARTIN WALT DEPT 52-10
01CY ATTN RICHARD G. JOHNSON DEPT 52-12
01CY ATTN BILLY M. MCCORMAC DEPT 52-54

KAMAN SCIENCES CORP
P. O. BOX 7463
COLORADO SPRINGS, CO 80933
01CY ATTN B. J. BITTNER

LINKABIT CORP
10453 ROSELLE
SAN DIEGO, CA 92121
01CY ATTN IRWIN JACOBS

M.I.T. LINCOLN LABORATORY

P. O. BOX 73

LEXINGTON, MA 02173

01CY ATTN LIB A-082 FOR DAVID M. TOWLE

01CY ATTN MR. WALDEN X113

01CY ATTN JAMES H. PANNELL L-246

01CY ATTN D. CLARK

MCDONNELL DOUGLAS CORPORATION

5301 BOLSA AVENUE

HUNTINGTON BEACH, CA 92647

01CY ATTN N. HARRIS

01CY ATTN J. MOULE

01CY ATTN GEORGE MROZ

01CY ATTN BILL OLSON

MISSION RESEARCH CORPORATION

735 STATE STREET

SANTA BARBARA, CA 93101

01CY ATTN P. FISCHER

01CY ATTN W. F. CREVIER

01CY ATTN STEVEN L. GUTSCHE

01CY ATTN D. SAPPENFIELD

01CY ATTN R. BOGUSCH

01CY ATTN R. HENDRICK

01CY ATTN RALPH KILB

01CY ATTN DAVE SOWLE

01CY ATTN F. FAJEN

01CY ATTN M. SCHEIBE

01CY ATTN CONRAD L. LONGMIRE

01CY ATTN WARREN A. SCHLUETER

MITRE CORPORATION, THE

P. O. BOX 208

BEDFORD, MA 01730

01CY ATTN J. C. KEENAN

01CY ATTN G. HARDING

01CY ATTN CHIEF SCIENTIST W. SEN

01CY ATTN S. A MORIN

01CY ATTN C. E. CALLAHAN

PACIFIC-SIERRA RESEARCH CORP

1456 CLOVERFIELD BLVD.

SANTA MONICA, CA 90404

01CY ATTN F. C. FIELD JR

PHOTOMETRICS, INC.
442 MARRETT ROAD
LEXINGTON, MA 02173
01CY ATTN IRVING L. KOFSKY

PHYSICAL DYNAMICS INC.
P. O. BOX 21589
SEATTLE, WA 98111
01CY ATTN E. J. FREMOUW

PHYSICAL DYNAMICS INC.
P. O. BOX 1069
BERKELEY, CA 94701
01CY ATTN A. THOMPSON
01CY ATTN JOSEPH B. WORKMAN

R & D ASSOCIATES
P. O. BOX 9695
MARINA DEL REY, CA 90291
01CY ATTN RICHARD LATTER
01CY ATTN FORREST GILMORE
01CY ATTN BRYAN GABBARD
01CY ATTN WILLIAM B. WRIGHT JR
01CY ATTN ROBERT F. LELEVIER
01CY ATTN WILLIAM J. KARZAS

RAND CORPORATION, THE
1700 MAIN STREET
SANTA MONICA, CA 90406
01CY ATTN CULLEN CRAIN
01CY ATTN ED BEDROZIAN

SCIENCE APPLICATIONS, INC.
P. O. BOX 2351
LA JOLLA, CA 92038
01CY ATTN LEWIS M. LINSON
01CY ATTN DANIEL A. HAMLIN
01CY ATTN D. SACHS
01CY ATTN E. A. STRAKER
01CY ATTN CURTIS A. SMITH
01CY ATTN JACK MCDOUGAL

RAYTHEON CO.
528 BOSTON POST ROAD
SUDBURY, MA 01776
01CY ATTN BARBARA ADAMS

SCIENCE APPLICATIONS, INC.
HUNTSVILLE DIVISION
2109 W. CLINTON AVENUE
SUITE 700
HUNTSVILLE, AL 35805
01CY ATTN DALE H. DIVIS

SCIENCE APPLICATIONS, INCORPORATED
8400 WESTPARK DRIVE
MCLEAN, VA 22101
01CY ATTN B. ADAMS

STANFORD RESEARCH INSTITUTE
333 RAVENSWOOD AVENUE
MENLO PARK, CA 94025
01CY ATTN DONALD NEILSON
01CY ATTN ALAN BURNS
01CY ATTN G. SMITH
01CY ATTN L. L. COBB
01CY ATTN DAVID A. JOHNSON
01CY ATTN WALTER G. CHESNUT
01CY ATTN CHARLES L. RINO
01CY ATTN WALTER JAYE
01CY ATTN M. BARON
01CY ATTN RAY L. LEADABRAND

SYSTEM DEVELOPMENT CORPORATION
4130 LINDEN AVENUE
DAYTON, OH 45432
01CY ATTN F. G. MEYER

TECHNOLOGY INTERNATIONAL CORP
75 WIGGINS AVENUE
BEDFORD, MA 01730
01CY ATTN W. P. BOQUIST

TRW DEFENSE & SPACE SYS GROUP
ONE SPACE PARK
REDONDO BEACH, CA 90278
01CY ATTN R. K. PLEBUCH R1-2078
01CY ATTN ROBERT M. WEBB R1-1150

VISIDYNE, INC.
19 THIRD AVENUE
NORTH WEST INDUSTRIAL PARK
BURLINGTON, MA 01803
01CY ATTN CHARLES HUMPHREY
01CY ATTN J. W. CARPENTER